

# ANNUAL WATER QUALITY REPORT

Reporting Year 2022



*Presented By*  
**Marygold Mutual  
Water Company**

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

PWS ID#: 3610028



## Our Mission Continues

We are once again pleased to present our annual water quality report covering all testing performed between January 1 and December 31, 2022. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best-quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education while continuing to serve the needs of all our water users. Please remember that we are always available should you ever have any questions or concerns about your water.

## How Long Can I Store Drinking Water?

The disinfectant in drinking water will eventually dissipate even in a closed container. If that container housed bacteria prior to filling up with the tap water the bacteria may continue to grow once the disinfectant has dissipated. Some experts believe that water could be stored up to six months before needing to be replaced. Refrigeration will help slow the bacterial growth.

## Source Water Assessment

A Source Water Assessment Plan is now available at our office. This plan is an assessment of the delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area and a determination of the water supply's susceptibility to contamination by the identified potential sources.

## Important Health Information

Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S.

EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by

*Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or <http://water.epa.gov/drink/hotline>.



## Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. (If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.) If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

“Thousands have lived without love, not one without water.”  
—W.H. Auden

## Community Participation

You are invited to participate in our monthly board meetings and voice your concerns about any issues you may have. We meet the third Thursday of the month at 6:00 p.m. We also hold an annual meeting in March to elect board members and address any issues the shareholders may have. Please check with our office for times and dates, as these may change. All meetings are held at our office at 9725 Alder Avenue, Bloomington.

**QUESTIONS?** For more information about this report, or for any questions relating to your drinking water, please call Justin Brokaw, General Manager, at (909) 877-0516.

## Substances That Could Be in Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material and can pick up substances resulting from the presence of animals or from human activity.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

Contaminants that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife;

Inorganic Contaminants, such as salts and metals, that can be naturally occurring or can result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and which can also come from gas stations, urban stormwater runoff, agricultural applications, and septic systems;



Radioactive Contaminants that can be naturally occurring or can be the result of oil and gas production and mining activities.

More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

## Water Conservation Tips

You can play a role in conserving water and save yourself money in the process by becoming conscious of the amount of water your household is using and looking for ways to use less whenever you can. It is not hard to conserve water. Here are a few tips:

- Automatic dishwashers use four gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water-using appliances. Then check the meter after 15 minutes. If it moved, you have a leak.

## Information on the Internet

The U.S. EPA (<https://goo.gl/TFAMKc>) and the Centers for Disease Control and Prevention ([www.cdc.gov](http://www.cdc.gov)) Web sites provide a substantial amount of information on many issues relating to water resources, water conservation, and public health. Also, the Division of Drinking Water and Environmental Management has a Web site (<https://goo.gl/kGepu4>) that provides complete and current information on water issues in California, including valuable information about our watershed.

## Think Before You Flush!

Flushing unused or expired medicines can be harmful to your drinking water. Properly disposing of unused or expired medication helps protect you and the environment. Keep medications out of our waterways by disposing responsibly. To find a convenient drop-off location near you, please visit <https://bit.ly/3IeRyXy>.

## Where Does My Water Come From?

Marygold Mutual Water Company (MMWC) produces the majority of our water from our two groundwater wells located in the Chino Basin. MMWC has a three-party agreement with West Valley Water District and SBVMWD that allows us to purchase and receive roughly 25 percent of our supply from the State Water Project. With this agreement and our ion exchange treatment system, we will continue to provide clean and safe drinking water to our shareholders.

## Test Results

Our water is monitored for many different kinds of substances on a very strict sampling schedule, and the water we deliver must meet specific health standards. Here, we only show those substances that were detected in our water (a complete list of all our analytical results is available upon request). Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The state recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

### REGULATED SUBSTANCES

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	PHG (MCLG) [MRDLG]	Marygold Mutual Water Company		West Valley Water District		VIOLATION	TYPICAL SOURCE
				AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH		
Chlorine (ppm)	2022	[4.0 (as Cl <sub>2</sub> )]	[4 (as Cl <sub>2</sub> )]	1.21	0.55–1.92	1.19	0.31–2.20	No	Drinking water disinfectant added for treatment
Coliform Assessment and/or Corrective Action Violations (number of positive samples)	2022	TT	NA	0	NA	2	0–2	No	NA
HAA5 [sum of 5 haloacetic acids]–Stage 2 (ppb)	2022	60	NA	1.3	1.0–1.6	6.3	ND–13.4	No	By-product of drinking water disinfection
Nitrate [as nitrogen] (ppm)	2022	10	10	3.95	3.2–4.7	NA	NA	No	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
TTHMs [total trihalomethanes]–Stage 2 (ppb)	2022	80	NA	4.25	4.0–4.5	21.7	ND–54.9	No	By-product of drinking water disinfection

### Tap water samples were collected for lead and copper analyses from sample sites throughout the community

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	PHG (MCLG)	Marygold Mutual Water Company		West Valley Water District		VIOLATION	TYPICAL SOURCE
				AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES	AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES		
Copper (ppm)	2020	1.3	0.3	0.26	0/20	ND <sup>1</sup>	0/30 <sup>1</sup>	No	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead (ppb)	2020	15	0.2	ND	0/20	0.17	0/30 <sup>1</sup>	No	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits

### SECONDARY SUBSTANCES

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	SMCL	PHG (MCLG)	Marygold Mutual Water Company		West Valley Water District		VIOLATION	TYPICAL SOURCE
				AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH		
Color (units)	2022	15	NS	<3.0	NA	ND	NA	No	Naturally occurring organic materials
Odor, Threshold (TON)	2022	3	NS	1	1–1	1	ND–1	No	Naturally occurring organic materials
Specific Conductance (µS/cm)	2022	1,600	NS	NA	NA	401	330–520	No	Substances that form ions when in water; seawater influence
Turbidity (NTU)	2022	5	NS	0.14	<0.10–0.39	0.2	ND–2.0	No	Soil runoff



## UNREGULATED SUBSTANCES<sup>2</sup>

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	Marygold Mutual Water Company		West Valley Water District		TYPICAL SOURCE
		AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	
<b>Bromodichloromethane</b> (ppb)	2022	1.55	1.3–1.8	NA	NA	By-product of drinking water disinfection
<b>Calcium</b> (ppm)	2022	NA	NA	53	34–77	Erosion of salt deposits in soil and rock
<b>Chloroform</b> (ppb)	2022	1.5	1.3–1.7	NA	NA	By-product of drinking water disinfection
<b>Dibromochloromethane</b> (ppb)	2022	1.2	1.0–1.4	NA	NA	By-product of drinking water disinfection
<b>Dichloroacetic Acid</b> (ppb)	2022	1.3	1.0–1.6	NA	NA	By-product of drinking water disinfection
<b>pH</b> (units)	2022	7.9 <sup>1</sup>	7.8–7.9 <sup>1</sup>	7.8	7.5–8.1	Characteristic of water
<b>Total Alkalinity [as CaCO<sub>3</sub>]</b> (ppm)	2022	NA	NA	156	120–230	Naturally occurring



<sup>1</sup>Sampled in 2021.

<sup>2</sup>Unregulated contaminant monitoring helps U.S. EPA and the State Board determine where certain contaminants occur and whether the contaminants need to be regulated.

## Definitions

**90th %ile:** The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. The 90th percentile is equal to or greater than 90% of our lead and copper detections.

**AL (Regulatory Action Level):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**MCL (Maximum Contaminant Level):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs (SMCLs) are set to protect the odor, taste, and appearance of drinking water.

**MCLG (Maximum Contaminant Level Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. EPA.

**MRDL (Maximum Residual Disinfectant Level):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**MRDLG (Maximum Residual Disinfectant Level Goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**NA:** Not applicable.

**ND (Not detected):** Indicates that the substance was not found by laboratory analysis.

**NS:** No standard.

**NTU (Nephelometric Turbidity Units):** Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**PDWS (Primary Drinking Water Standard):** MCLs and MRDLs for contaminants that affect health, along with their monitoring and reporting requirements and water treatment requirements.

**PHG (Public Health Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California EPA.

**ppb (parts per billion):** One part substance per billion parts water (or micrograms per liter).

**ppm (parts per million):** One part substance per million parts water (or milligrams per liter).

**TON (Threshold Odor Number):** A measure of odor in water.

**TT (Treatment Technique):** A required process intended to reduce the level of a contaminant in drinking water.

**µS/cm (microsiemens per centimeter):** A unit expressing the amount of electrical conductivity of a solution.

